

Amendments to the Claims

1. (Currently amended) A method for an application management system on a mobile information device to download non-Java content to the mobile information device, the method comprising:

downloading to the mobile information device a generic content descriptor file for the non-Java content, wherein the generic content descriptor file includes at least one attribute other than an attribute that indicates a location from which the mobile information device can download the non-Java content;

processing the downloaded generic content descriptor file at the mobile information device so as to determine whether ~~verify presence of~~ the at least one attribute is present in the generic content descriptor file;

if the mobile information device thereby determines that the at least one attribute in the generic content descriptor file is present, then thereafter downloading the non-Java content to the mobile information device, and

if the mobile information device thereby determines that the at least one attribute is missing from the generic content descriptor file, then not downloading the non-Java content to the mobile information device.

2. (Original) A computer readable medium having stored therein instructions for causing a processor to execute the method of claim 1.

3. (Previously presented) The method of claim 1, further comprising:
installing the non-Java content on the mobile information device.

4. (Original) The method of claim 3, wherein downloading the non-Java content to the mobile information device includes downloading the non-Java content from a content-URL included in the generic content descriptor file.

5. (Original) The method of claim 3, further comprising posting a response message indicating a success of the download to an install-notify-URL included in the generic content descriptor file.

6. (Original) The method of claim 3, further comprising displaying options to launch the non-Java content, to exit and to continue browsing.

7. (Previously Presented) The method of claim 5, further comprising:
receiving a request to continue browsing; and
browsing to a URL received in response to posting the response message.

8. (Previously presented) The method of claim 1, wherein the at least one attribute other than an attribute that indicates a location from which the mobile information device can download the non-Java content includes an attribute selected from the group consisting of: a Content-Type attribute, a Content-Name attribute, a Content-Version attribute, a Content-Vendor attribute, a Content-ID attribute, and a Content-Size attribute.

9. (Previously presented) The method of claim 8, wherein the generic content descriptor file further includes an attribute selected from the group consisting of a Content-Install-Notify attribute, a Content-Description attribute, a Content-Info-URL attribute, a Content-Icon-URL attribute, a Content-Folder attribute, a Content-Storefront-URL attribute, and a Content-Domain attribute.

10. (Original) The method of claim 1, further comprising:
attempting to download the non-Java content to the mobile information device;
detecting a failure in downloading the non-Java content to the mobile information device;
and
posting a response message indicating a failure of the download to an install-notify-URL included in the generic content descriptor file.

11. (Original) The method of claim 10, further comprising displaying on the mobile information device options to exit and to continue browsing.

12-17. (Cancelled)

18. (Previously presented) The method of claim 1, wherein the generic content descriptor file includes a content-version attribute that defines a version of the non-Java content, and wherein processing the generic content descriptor file further includes determining whether the mobile information device already includes a version of the non-Java content.

19. (Previously presented) The method of claim 1, wherein processing the generic content descriptor file includes determining whether the mobile information device includes enough available non-volatile memory to store the non-Java content.

20-21. (Cancelled)

22. (Previously presented) The method of claim 1, further comprising presenting a user of the mobile information device with at least one post-install option.

23-24. (Cancelled)